




Features

- Advanced internal structure design
- Easy to re-enter, it never requires re-entry tool kit
- The closure is spacious enough for winding and storing fibers
- Fiber Optic Splice Trays(FOSTs) are design in SLIDE-IN-LOCK and its opening angle is about 90°
- The curved diameter meets with international standard
- Easy and fast to increase and reduce FOSTs
- Innovative elastic intergrated seal fitting
- The FOST base is provided with an oval inlet/outlet port

Applications

- ◆ Suitable for bunchy & ribbon fibers
- $\bullet \ \mathsf{Pole\text{-}mounting}, \ \mathsf{underground}, \ \mathsf{wall\text{-}mounting}, \ \mathsf{hand} \ \mathsf{hole}$
- -Mounting and duct-mounting

Structural Drawing



Ordering Information



#031 234X96X7.5mm

#032 234X100X11mm

#033 234X96X11mm

Туре	Fibers/Tray	Max. Capacity	Tray#	Suitable Cable Dia. allowed(mm	
GJS-7010 I(Bunchy)	12F	168	031	1 big oval port:35mm 6 small round ports:20mm	
GJS-7010 II(Bunchy)	12-24F	192	032		
GJS-7010 III(Ribbon)	72F	576	033		

Accessories

Standard Accessories:

No.	Name	Quantity	
1	Earthing wire	1 pc	0
2	Nylon tie	1 set	<u>W</u>
3	Labeling paper	1 pc	1 2 3 4 5 8 7 8 7 13 1 13 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
4	Heat shrinkable protective sleeve	1 bag	

No.	Name	Quantity	
5	Desiccant	2 bags	MATERIAL PROPERTY THE PROPERTY
6	Special wrench	1 pc	4
7	Aluminum-foil paper	1 pc	
8	Abrasive cloth	1 pc	

Optional Accessories:

No.	Name	Quantity	
1	Pressure testing valve	1 pc	e
2	Earthing deriving device	1 pc	
3	Buffer tube for bunchy fiber	1 roll	
4	Big heat shrinkable fixing sleeve	1 pc	

No.	Name	Quantity	
5	Small heat shrinkable fixing sleeve	6 pcs	
6	Metal hoop	1 set	
7	Wall mountingbracket	1 set	= 2
8	Buffer tube for ribbon fiber	1 roll	